



CAN SEAT CUSTOM SEATING DESIGN

CUSTOM MOLDED SEATING SPECIFICATION SHEET

Account Information: Request Type: Quote Order Date: _____ Account #: _____ Company: _____ SHIP TO Name: _____ Address: _____ City: _____ Province: _____ Postal Code: _____	Purchase Order #: _____ _____ CONTACT Name: _____ Back Up Contact: _____ Phone: _____ _____ Email: _____ _____ _____
--	---

Wheelchair Information

Brand: _____ Model: _____

Width: _____ Depth: _____

CUSHION MEASUREMENTS

Desired Finished Cushion Width: _____ " Desired Finished Back Width: _____ "

Desired Backrest Height: _____ " Seat to Back Angle: _____ °

Seat Cushion

Seat Cushion Basic Foam Option: Soft ☐ Medium Soft ☐ Hard ☐ Rigid ☐

Seat Cushion Overlay Options:

Visco Foam ½" ☐ Visco Foam 1" ☐ Sunmate Foam ½" ☐ Sunmate Foam 1" ☐



CAN SEAT CUSTOM SEATING DESIGN – Specification Sheet

Seat Cushion Soft Spot Options:

1/2" Visco Foam ☐ 1" Visco Foam ☐ 1/2" Medium Density Foam ☐ 1" Medium Density Foam ☐ 1/2" Gel Insert ☐ 1" Gel Insert ☐ 1/2" Pudgee Foam ☐ 1" Pudgee Foam ☐

Seat Cushion Finish Option:

Naked Cushion (for Mid Fitting) ☐ Completed Cushion (Silicon Spray Coating) ☐

Seat Cushion Covering Options:

Polartek ☐ Lycra ☐ Darlexx ☐ Startex Standard ☐

Cover Style: Drawstring ☐ Velcro bottom ☐ Zipper w/Velcro Bottom ☐

Seat Cushion Support Options:

Reinforcements (Adduction supports): ABS ☐ Plastic ☐ Aluminum ☐

Extend Lateral Support Left: Right:, (In Inches)

Raised Lateral Support Height: Left: Right:, (in Inches)

Seat Cushion Mounting Options:

Wood Mount w/T-nuts ☐ Wood Mount with Sliding Track ☐ Upholstered Bottom w/Velcro ☐ Upholstered Bottom w/out Velcro ☐

Seat Cushion Mounting Hardware Options:

1" J & L Pan Mounting Brackets ☐ 7/8" J & L Pan Mounting Brackets ☐ 1" Wood Mounting Kit ☐ Sliding Track Mount Kit ☐ Adjustable Mounting Hardware ☐

Back Cushion Additional Options:



Back Cushion:

Back Cushion Basic Foam Option: Soft ☐ Medium Soft ☐ Hard ☐ Rigid ☐

Back Cushion Overlays Options:

1/2" Visco Foam ☐ 1" Visco Foam ☐ 1/2" Medium Density Foam ☐

1" Medium Density Foam ☐

Back Cushion Soft Spot Options:

1/2" Visco Foam ☐ 1" Visco Foam ☐ 1/2" Medium Density Foam ☐

1" Medium Density Foam ☐ Gel Insert: Full Surface ☐ Along the Spinal Area ☐

Back Cushion Finish Option:

Naked Cushion (Mid Fit Option) ☐ Completed Cushion (Silicon Spray Coating) ☐

Fabric Cover:

Polartek ☐ Lycra ☐ Darlexx ☐ Neoprene Lycra ☐ Spacer Mesh ☐

Cover Style:

Drawstring ☐ Velcro bottom ☐ Zipper ☐

Back Cushion Support Options:

Reinforcements: ABS Plastic ☐ Aluminum ☐ Swing Away Lateral Left & Right ☐

Backrest Modification Options:

As Molded ☐ Extended Lateral Support ☐ Left _____, Right _____

Back Cushion Mounting Options:

Mounting Plate: Wood ☐ Pan (Aluminum Sheet) ☐ ABS Sheet ☐

Wood Mount w/T-nuts ☐ Upholstered Bottom w/Velcro ☐

Direct Fitting to The Mounting Plate ☐



CAN SEAT CUSTOM SEATING DESIGN – Specification Sheet

Back Cushion Mounting Hardware Options:

1" Wood Mounting Kit ☐ 7/8" Wood Mounting Kit ☐

Adjustable Mounting Hardware: Sliding Track ☐ T-nuts ☐ Center Mount ☐

Adjustable Mount ☐ with T-Nuts ☐ or Sliding Track ☐ Adjustable Center Mount ☐

Headrest: T-nut Pattern ☐ or Sliding Track ☐

Back Cushion Additional Options:
